

described in 6 above. It should be noted, however, that the "L" shaped ridge could be formed by two separate ridges, one on the bottom border and one on the right border.

Page 13, Line 3, replace the paragraph beginning there with the following:

It can also be seen that the modifications described in number 5 and 6 above, can be used, if desired, to modify the keys "1", "4", "7", "0" 48 of the row 16 of the QWERTY keyboard 10 of FIG.1 one obtains similar locational feel and feedback.

IN THE CLAIMS :

Please amend claims 1, 5, 6, and 8 as follows:

1. (Amended) A key for a keyboard or keypad, said key having an upper finger engaged surface of generally square or rectangular configuration so as to have a top edge portion remote from a user, a bottom edge portion adjacent the user, a left edge portion and a right edge portion, said key further having:

a ridge adjacent said top edge portion or said bottom edge portion and extending longitudinally generally parallel thereto; and

a ridge on said left or said right edge portion.

5. (Amended) The keyboard or keypad of claim 3 wherein any key between said top left end key and said right top end key has a ridge adjacent the top edge portion thereof extending generally parallel to the rows, and any key between said bottom left end key and said right bottom end key includes a ridge adjacent the bottom edge portion thereof extending generally parallel to the rows.

6. (Amended) A Qwerty keyboard having a plurality of alphanumeric keys arranged in three linear rows including a top row which is remote from a user, a middle row, and a bottom row which is adjacent the user, each row having a left and a right end key, each key having an upper finger engaged surface of generally square or rectangular configuration so as to have top and bottom edge portions extending generally parallel to the rows, and left and right side edge portions extending generally normal to the rows, the keys being positioned in a left first set and a right second set, the first set including the three left end keys and at least the next two or three adjacent keys of each row, the second set including the three right end keys and the next adjacent two or three keys spaced toward the first set so that the two sets are spaced by two, three or four keys, and wherein the keys of said first set include:

(i) a ridge on the top left end key adjacent the upper edge portion thereof extending generally parallel to the rows,

(ii) a ridge on the top left end key adjacent the left edge portion thereof extending generally normal to the rows,

(iii) a ridge on the middle left end key adjacent the left edge portion thereof extending generally normal to the rows,

(iv) a ridge on the bottom left end key adjacent the left edge portion thereof extending generally normal to the rows,

(v) a ridge on the bottom left end key adjacent the bottom edge portion thereof extending generally parallel to the rows,

(vi) a ridge on the next adjacent or next two adjacent keys to said bottom left end key of the bottom row adjacent the bottom edge portion thereof extending generally parallel to the rows,

(vii) a ridge on the next adjacent bottom key adjacent the bottom edge portion thereof extending generally parallel to the rows,

(viii) a ridge on said last mentioned key adjacent the right edge portion thereof extending generally normal to the rows,

(ix) a ridge on the middle key next adjacent to said last mentioned key adjacent the right edge portion thereof extending generally normal to the rows,

(x) a ridge on the top key next adjacent said last mentioned key adjacent the right edge portion thereof extending generally normal to the rows,

(xi) a ridge on said last mentioned key adjacent the top edge portion thereof extending generally parallel to the rows,

(xii) a ridge on the or each top key between said last mentioned key and said top left end key adjacent the top edge portion thereof extending generally parallel to the rows, and

the keys of said second set include:

(i) a ridge on the top right end key adjacent the upper edge portion thereof extending generally parallel to the rows,

(ii) a ridge on the top right end key adjacent the right edge portion thereof extending generally normal to the rows,

(iii) a ridge on the middle key adjacent said top right key adjacent the right edge portion thereof extending generally normal to the rows,

(iv) a ridge on the bottom right end key adjacent the right edge portion thereof extending generally normal to the rows,

(v) a ridge on the bottom right end key adjacent the bottom edge portion thereof extending generally parallel to the rows,

(vi) a ridge on the next adjacent or next two adjacent keys to said bottom right end key of the bottom row adjacent the bottom edge portion thereof extending generally parallel to the rows,

(vii) a ridge on the next adjacent bottom key adjacent the bottom edge

portion thereof extending generally parallel to the rows,

- (viii) a ridge on said last mentioned key adjacent the left edge portion thereof extending generally normal to the rows,
- (ix) a ridge on the middle key next adjacent to said last mentioned key adjacent the left edge portion thereof extending generally normal to the rows,
- (x) a ridge on the top key next adjacent said last mentioned key adjacent the left edge portion thereof extending generally normal to the rows,
- (xi) a ridge on said last mentioned key adjacent the top edge portion thereof extending generally parallel to the rows,
- (xii) a ridge on the or each top key between said last mentioned key and said top right end key adjacent the top edge portion thereof extending generally parallel to the rows.

8. The Qwerty keyboard of claim 6 wherein the two ridges of each end key meet.

Please add new claims 9-10 as follows:

9. (New) The keyboard or keypad of claim 4 wherein any key between said top left end key and said right top end key has a ridge adjacent the top edge portion thereof extending generally parallel to the rows, and any key between said bottom left end key and said right bottom end key includes a ridge adjacent the bottom edge portion thereof extending generally parallel to the rows.

8. (New) The Qwerty keyboard of claim 7 wherein the two ridges of each end key meet.